



INSTALLATION INSTRUCTION

Shower Enclosure

SS08



Melbourne Bathroom Shop
www.melbournebathroom.com.au




NO	Diagram	Unit	QTY
1		PC	1
2		PC	2
3		PC	2
4		PC	6
5		PC	2
6		PC	2
7		PC	6

NO	Diagram	Unit	QTY
8		PC	1
9		PC	2
10		PC	1
11		PC	2
12		PC	1
13		PC	1
14		PC	2

NO	Diagram	Unit	QTY
15		PC	1
16		PC	1
17		PC	1
18		PC	1
19		PC	1
20		PC	1


1

Tools for installation.




2

Check wall verticality before installation.




3

Install the wall channels.





4

Install fixed glass.




5

Cut the rail to suit the desired width.




6

Set up the upper rail.




7

Mounting the fixings.




8

Mounting the upper rail.








9


After install the upper rail, then put on the door panel.



10




Install the movable glass and the Guide block.






12

Adjust the Pulley and install Prevent jumping and Aluminum strip.



13

Use the glue to seal the gap between the wall and the profile, as well as between threshold, fixed glass panel and base.



Maintenance of Shower Enclosure

1.Cleaning

Please use a soft,dry cloth to clean the shower enclosure and shower tray.If there is minor dirt , please use a soft cloth or sponge dampened in a mild detergent to clean;to remove stubborn dirt,use alcohol.

When cleaning with bath detergent,do follow its instructions and use correctly.

Do not use following items to clean : the acidic, alkaline solvents , drugs (such as hydrochloric acid),acetone thinners and other solvents and scouring powder,otherwise they will result in damages of the product.

2.Usage and maintenance of shower room roller

Attention while using:

- 1)Avoid over striking the movable door,which may cause the door loose.
- 2)Clean rails,wheels,sliders regularly and add lubricant(oil or lubricating wax);
- 3)Adjusting the screws of sliders on a regular basis to ensure the sliders' effective carrying and smooth sliding to the movable doors.

3.Maintenance of Tempered Glass

- 1).Do not use sharp objects against the surface to avoid damage;
- 2).Do not wipe the glass surface with corrosive liquids to avoid damaging the surface;
- 3).Do not wipe the surface with a rough material to avoid scratches;

4.Maintenance of Aluminum Frame

A.Electrostatic painting products

- 1) Prevent direct sunlight and prolonged exposure under the sunlight which will cause color fading.
- 2) Do not wipe with corrosive liquids or materials;
- 3) Do not use rough material (including toothpaste) for surface cleaning;
- 4) Do not scratch the surface with sharp objects.

B.Oxidation coloring products (such as gold,silver,matt silver,brush nickel silver)

Comparing with electrostatic painting products,oxidation color is not easy to fade,but due to its poorer hardness, please do not wipe with rough materials, especially sharp objects to scratch.

For stain on surface, please wipe with neutral cleanser.

Melbourne Bathroom Shop
www.melbournebathroom.com.au